

UNIA Amber 3000/3500 Semanatoare paioase - Panagroteh Grup

Descriere



Echipament standard

- Ax semi-purtat 965/ø36 mm
- Brazdare tip disc ø400 mm, P=100kg, protejate cu amortizoare de cauciuc
- Sistem integrat de insamantare cu 2 cilindri cu pinteni pentru cereale si rapita
- Cutie variabila
- Prelata buncar
- Tavalug final cu roti 195x15
- Protap ajustabil + carlig remorcare Packer dirijbil frontal

- marcatori hidraulici cu doi cilindri
- Degete elastice nivelatoare

Echipament optional

- Set de brazdare tip dublu-disc "V-TECH " ø360 mm cu roti copiere sol 320x64 mm
- Bara nivelatoare frontala lamelara hidraulica
- Urme pre-emergente comandate hidraulic
- Computer cu functii multiple R14
- Sistem de prelucrare sol (discuri ø 460 mm + tavalug Tyre Roller ø 670 mm)
- Instalatie iluminat

Date tehnice

Date tehnice

AMBER	3000/3	300/3 DUPLO	3500/4	3500/4 DUPLO
Latime de lucru (m)	3	3	4	4
Capacitate buncar (dm3)	3000	3000	3500	3500
Tip brazdare	Disc	Disc	Disc	Disc
Numar brazdare	24	24	32	32
Greutate (Kg)	2500	2600	3100	3250
Necesar putere (Cp)	120-140	120-140	140-160	140-160

Imagini



