

UNIA Cut L, XL, XXL Grapa cu discuri - Panagroteh Grup

Descriere



Echipament standard CUT L, CUT XL

- Ax suspensie $\varnothing$ 60-825/ $\varnothing$ 28 mm (Versiune 2.3-2.8)
- Ax suspensie $\varnothing$ 60-825/ $\varnothing$ 36 mm (Versiune 3.2-3.9)
- Cadru 100x100x6mm (CUT L)
- Cadru 120x120x8mm (CUT XL)
- 4 sectiuni discuri dispuse in X
- Discuri crenelate $\varnothing$ 510x4mm sau $\varnothing$ 560x4 mm(CUT L)
- Discuri crenelate $\varnothing$ 610x4mm sau $\varnothing$ 660x6mm (CUT XL)

Echipament optional CUT L/XL

- Dinte central suplimentar L/XL
- Set deflectoare laterale
- Sasiu cu protap
- Cupla semantoare (versiunea semi-montata)
- Ax suspensie $\varnothing$ 60-825/ $\varnothing$ 36mm
- Placute avertizare
- Placute avertizare cu sistem iluminare
- Posibilitate montare semanatoare ETA

Echipament standard CUT XXL

- Ax semi-montat 960/ $\varnothing$ 36mm
- 4 sectiuni discuri dispuse in X
- Discuri crenelate $\varnothing$ 660x6 mm
- Tavalug Pipe Roller $\varnothing$ 600 mm
- Cadru pliabil hidraulic
- Posibilitate incarcare cadru cu apa

Echipament optional CUT XXL

- Ajustare hidraulica a adancimii de lucru (2 puncte)
- Set deflectoare laterale
- Carlig remorcare $\varnothing$ 40mm
- Carlig remorcare $\varnothing$ 50mm
- Placute avertizare cu sistem iluminare

Date tehnice

Date tehnice

CUT L	2.3x510	2.3x560	2.8x510	2.8x560	3.2x510	3.2x560	3.9x560
Greutate fara tavalug (Kg)	750	780	790	820	880	920	1000
Necesar putere (Cp)	60-80	60-80	70-95	75-100	85-110	85-110	110-140
Numar discuri	20	20	24	24	28	28	28

CUT XL	2.8x610	2.8x660	3.2x610	3.2x660	3.9x610	3.9x660
Greutate fara tavalug (Kg)	1270	1360	1380	1500	1500	1620
Necesar putere (Cp)	80-105	85-110	95-120	100-125	125-160	130-165
Numar discuri	24	24	28	28	36	36

CUT XXL	5x660	6x660	7x660
Greutate fara/cu apa (Kg)	5650/6150	5900/6400	6150/6650
Necesar putere (Cp)	170-210	180-240	200-270
Numar discuri	44	52	60

Imagini



